SAFETY DATA SHEET

Section 1 Identification of the material and the supplier

Product: CCA Treated Radiata Pine

Product Use: Timber components for use in structures in situations where insect

and fungal decay resistance is required

Other Names: CCA treated radiata pine New Zealand Supplier: Red Stag Timber Ltd.

Address: PO Box 1748
Rotorua 3040

Telephone: 07 349 5800 Fax Number: 07 347 0958

Date of SDS Preparation: 16 June 2020

Section 2 Hazards Identification

This substance is NOT hazardous according to the Hazardous Substance Regulations 2017

Section 3 Composition / Information on Ingredients

Name	CAS Number	Weight %
Pinus Radiata – Timber	N/A	> 94
Wood preservative residuals as:		
Copper as CuO	1317-38-0	< 1
Chromium as CrO ₃	1333-82-0	< 3
Arsenic acid as As ₂ O ₅	7778-39-4	< 2

Section 4 First Aid Measures

Routes of Exposure:

If in Eyes Hold eyes open and carefully rinse eyes with running water for several

minutes. Seek medical advice if irritation persists.

If on Skin Brush off dust. Rinse skin with soap and water or shower. If skin irritation

occurs, get medical attention. Get medical advice if pierced by splinters.

If Swallowed Rinse mouth. Do not induce vomiting unless told to do so by a medical

professional. Seek medical attention if you feel unwell.

If Inhaled If breathing is difficult, remove to fresh air and keep at rest in a position

comfortable for breathing. If person is not breathing, begin artificial

respiration. Use mouth-to-nose rather than mouth-to-mouth. If experiencing

respiratory symptoms: Seek medical attention.

Product Name: Sarmix Oxcel Treated Radiata Pine Prepared by: Red Stag Timber Ltd

Section 5 Fi	re Fighting Measures
Hazard Type	Combustible material
Hazards from	Avoid breathing smoke or fumes that may contain hazardous decomposition
decomposition	products. Carbon dioxide, carbon monoxide, oxides of nitrogen. May produce
products	toxic decomposition products in fumes and smoke in fire.
Suitable Extinguishing	Water spray.
media	
Precautions for	Wear personal protection equipment and self-contained breathing apparatus.
firefighters and special	Wood dust may form explosive mixtures with air.
protective clothing	
HAZCHEM CODE	None Allocated

0 1 0	Assistantal Dalacas Massaura
Section 6	Accidental Release Measures

GENERAL:

Wear appropriate personal protective equipment. Avoid any contact with skin or eyes.

Dispose of treated off cuts to authorised landfill. Wash and dry any contaminated protective equipment before re-use.

Section 7	Handling and Storage	
Section /	nanumu anu storau e	

HANDLING:

- Wear protective clothing.
- Wash hands before smoking, eating, drinking or using the toilet
- Keep away from sparks, open flames, hot surfaces. No smoking.

STORAGE:

- Store in a well-ventilated place, away from sources of heat or ignition
- Store away from incompatibilities listed in Section 10.

Section 8	Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

	TWA	STEL
Substance	ppm mg/m ³	ppm mg/m ³
Wood dust (soft wood)	5	
Copper (II)	1	
Arsenic (III)	0.05	
Chromium (V)	0.05	

ENGINEERING CONTROLS:

Use mechanical dust extraction or in well-ventilated area or outside.

Avoid sawing or sanding of timber that is wet (not dry) with the preservative treatment

Product Name: Sarmix Oxcel Treated Radiata Pine Prepared by: Red Stag Timber Ltd

PERSONAL PROTECTIVE EQUIPMENT:

Eyes	Wear goggles, full face shield, or safety glasses with side shields when cutting this product.
Hands and Skin	Wear protective clothing such as overalls and shirt with sleeves, also closed in footwear. Wear puncture-resistant gloves (e.g. leather) when handling dry wood, or rubber gloves if the surfaces are wet with preservative.
Respiratory	Use in well-ventilated area or outside. Wear dust mask if wood dust is generated.
General	Wash hands before eating, drinking, smoking, using the toilet and at the end of the shift.

Section 9 Physical and Chemical Properties

Appearance Dressed or rough-sawn pine timber and timber-based products;

Light green colour which weathers to silvery grey with exposure

to UV

Not applicable Odour **Odour Threshold** Not applicable Not applicable рΗ Not applicable **Boiling Point Melting Point** Not applicable Freezing Point Not available Flash Point Not applicable **Flammability** Combustible **Upper and Lower Explosive Limits** Not applicable **Vapour Pressure**

Not applicable 0.4 – 0.6 g/cm³ Density at 20°C Solubility in water Insoluble **Partition Coefficient:** Not applicable **Auto-ignition Temperature** Not applicable **Decomposition Temperature** Not available **Kinematic Viscosity** Not available **Particle Characteristics** Not available % Volaties Not applicable **Evaporation Rate** Not applicable

Section 10 Stability and Reactivity

Chemical Stability: Stable under normal storage and use conditions.

Conditions to Avoid: Avoid contact with extreme heat.

Incompatibility: Other combustible materials, Strong oxidising agents, acids, alkalis.

Hazardous Carbon dioxide, carbon monoxide, oxides of nitrogen. May produce toxic

Decomposition: decomposition products in fumes and smoke in fire.

Products

Section 11 Toxicological Information

Acute Effects:

SwallowedNot applicable.DermalNot applicable.

Inhalation/Respiratory May cause asthma-like symptoms. **Eye** Sawdust may cause eye irritation.

Skin May cause skin irritation. May cause skin sensitization.

Product Name: Sarmix Oxcel Treated Radiata Pine Prepared by: Red Stag Timber Ltd

Chronic Effects:

Carcinogenicity Sawdust may cause nasal/paranasal cancer through repeated exposure.

Reproductive Toxicity
Germ Cell Mutagenicity
STOT/SE
Not applicable.
Not applicable.

STOT/RE Sawdust may cause damage to skin and lungs through repeated exposure.

Aspiration Not applicable.

Section 12 Ecotoxicological Information

This product is not known to be a hazard to the environment when the chemicals are allowed to become well-fixed before exposure.

Persistence/Degradeability:No data availableMobility in Soil:No data availableBioaccumulative potential:No data availableOther Adverse effects:No data available

Section 13 Disposal Considerations

Dispose of treated off cuts to authorised landfill.

DO NOT use off cuts for heating or cooking fires or for barbecues or spit roasts. Avoid contact with ash; contains toxic compounds. Dispose of ash safely to an approved landfill.

Section 14 Transport Information

This substance is not classified as a dangerous good for Land Transport in New Zealand according to NZS5433: 2012

Section 15 Regulatory Information

This substance is NOT hazardous according to the Hazardous Substance Regulations 2017

Section 16 Other Information

This document has been compiled by RST Ltd as the manufacturer of the product and serves as the manufacturer's Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While RST Ltd has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RST Ltd accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the Red Stag Timber Ltd, if further information is required.

Issue Date: 16 June 2020 Review Date: 16 June 2025

Product Name: Sarmix Oxcel Treated Radiata Pine Prepared by: Red Stag Timber Ltd